

# **Smart Cool Weather** (Special Colour (9001) Diamond White) Premium Quality Acrylic Emulsion Paint for Exterior Wall 1L, 5L, 15L & 20 Litres



Version No. : **1.1.10** Issue Date: **17/02/2021** 

Safety Data Sheet according to CLASS requirement

oduct Identifier	
Product Name	Smart Cool Weather – Std Colour /Tint Base
Product Code	SPCW-SP-9001
Chemical Name	Not Applicable
Chemical Formula	Not Applicable
Other means of Identification	Std Colour
CAS Number	Not Applicable
elevant use of the chemical and restriction Relevant identified uses	Use according to manufacturer's directions
Relevant identified uses	Use according to manufacturer's directions
etails of manufacturer / importer	
etails of manufacturer / importer Registered Company Name	SMART PAINT MANUFACTURING SDN BHD (1031014-A)
•	SMART PAINT MANUFACTURING SDN BHD (1031014-A) No. 9 & 11, Jalan Indah Gemilang 5, Taman Perindustrian Gemilang, 81800 Ulu Tiram, Johor, Malaysia.
Registered Company Name	
Registered Company Name Address	No. 9 & 11, Jalan Indah Gemilang 5, Taman Perindustrian Gemilang, 81800 Ulu Tiram, Johor, Malaysia.
Registered Company Name Address Telephone	No. 9 & 11, Jalan Indah Gemilang 5, Taman Perindustrian Gemilang, 81800 Ulu Tiram, Johor, Malaysia. +607-863 9855
Address Telephone Fax	No. 9 & 11, Jalan Indah Gemilang 5, Taman Perindustrian Gemilang, 81800 Ulu Tiram, Johor, Malaysia. +607-863 9855 +607-861 5055
Registered Company Name Address Telephone Fax Email	No. 9 & 11, Jalan Indah Gemilang 5, Taman Perindustrian Gemilang, 81800 Ulu Tiram, Johor, Malaysia. +607-863 9855 +607-861 5055 info@smart-paints.com
Registered Company Name Address Telephone Fax Email Web	No. 9 & 11, Jalan Indah Gemilang 5, Taman Perindustrian Gemilang, 81800 Ulu Tiram, Johor, Malaysia. +607-863 9855 +607-861 5055 info@smart-paints.com
Registered Company Name Address Telephone Fax Email Web	No. 9 & 11, Jalan Indah Gemilang 5, Taman Perindustrian Gemilang, 81800 Ulu Tiram, Johor, Malaysia. +607-863 9855 +607-861 5055 info@smart-paints.com http://www.smart-paints.com

SECTION 2 HAZARDS IDENTIFICATION	
Classification of the substances or mixture	
GHS Classification	Physical Hazard - Not Classified
	Health Hazard Acute Toxicity Oral - Category 4 Skin Sensitization - Category 1
	Environment Hazard Hazardous To The Aquatic Environment – Chronic Hazard - Category 3
Label elements	
GHS label elements Signal word	Warning
Hazard statement(s)	
H302	Harmful if swallowed
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statement(s) Prevention	
P264	Wash affected hand and skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.

SECTION 2 HAZARDS IDENTIFICATION				
Precautionary statement(s) Response				
P301+P312	IF SWALLOWED : Call a POISON CENTER or doctor/ physichian if you feel unwell.			
P330	RINSE mouth.			
P302+P352	IF ON SKIN : Wash with plenty of soap and water.			
P363	Wash contaminated clothing before reuse.			
Precautionary statement(s) Disposal				
P501	Dispose of content/ container to appropriate waste site or reclaimer in accordance with local or national regulations.			

CAS number	% [weight]	Name	
-	>40.0	Polymeric dispersion	
-	<30.0	Pigment	
-	<7.0	Additives	
7732-18-5	<18.0	Water	

	RES			
Description of first aid measure				
	Eye contact	Spashes in the eye must be washed out immediately with clean water for several minutes.     Seek for medical attention.		
	Skin contact	<ul> <li>The skin should be washed with water before the emulsion dries, contaminated clothing must be removed to avoid discomfort from adhering paint. Some dried paint films that cannot be washed off the dried paint can be removed with skin cleanser. SOLVENTS MUST NOT BE USED.</li> </ul>		
	Inhalation	<ul> <li>Discomfort due to the vapours of the residual monomer etc is unlikely to occur, but can easily be relieved by breathing fresh air.</li> </ul>		

#### SECTION 5 FIREFIGHTING MEASURES

#### Suitable Fire Extinguishing Media :

The emulsion will not burn until water has evaporated for residual solid : Use water spray, carbon dioxide, dry chemical, alcohol-type or universal-type foams applied by manufacturers recommended techniques.

#### Special Protective Actions For Fire Fighters:

No special fire fighting arrangements are necessary.

#### Specific Hazards Arising From The Chemical :

Non combustible.

Not considered a significant fire risk, however containers may burn.

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment And Emergency Procedure

Eye /skin protection : Where there is potential for eye contact, wear chemical goggles and have eye flushing equipment immediately available. Wear appropriate protective clothing and chemical resistant gloves to prevent skin contact. Wear a face shield and chemical resistant clothing such as rubber apron when splashing is likely.

Respiratory Protection : Not required.

Ventilation : General room ventilation is expected to be satisfactory.

#### Environment Precaution

Although leakages/ spillages present little hazards, in the interests of preventing slippery or dangerous surfaces, they should be dealt with as soon as possible. Major spills should be collected for disposal. Minor spills may be flushed to a sewer if local regulations permit.

#### Methods And Materials For Containments And Clean Up

Contain spills immediately with inert materials( eg: sand, earth). Transfer liquids and solid material to separate suitable containers for recovery or disposal

## SECTION 7 HANDLING AND STORAGE

Precautions For Safe Handling Avoid smoking and use of open fire. Avoid breathing vapours.

Condition For Safe Storage ,including Any Incompatibilities Store in tightly closed original container in well-ventilated area. Avoid expose to direct sunlight.

SECTION 8 EXPOSURE CONTROLS /	PERSONAL PRO	TECTION			
Control Parameters/ Occupational Limits					
	ACGIH	TLV-TWA	OSHA PE	EL-TWA	
Ingredient/Bahan	ppm	mg/m3	ppm	mg/m3	
					I
APPROPRIATE ENGINEERING CONT					
If user operations generate dust, fumes, worker exposure to airborne contaminar	nts below any recor	nmended or statutory limit	s. Emission from ventilation of	r work process equipment s	hould be
checked to ensure they comply with the modifications to the process equipment				scrubbers, filters or engine	ering
PERSONAL PROTECTION					
Respiratory protection Use a properly fitted, air-purifying or air-	fed respirator com	olving with an approved st	andard if a risk assessment in	dicates this is necessary. R	espirator
selection must be based on known or ar Recommended : Full mask with type Ca	nticipated exposure				
Hand protection					
Chemical-resistant, impervious gloves c assessment indicates this is necessary.					
national and local regulations.	Alter contaminatio	n with product change the	gioves immediately and dispo	ise of them according to rea	evant
Eye protection Safety eyewear complying with an appro	oved standard shou	Ild be used when a risk as	sessment indicates this is nec	essary to avoid exposure to	b liquid
splashes, mists, gases or dusts. Recommended : Safety glasses with sid	e-shields.				
Skin/ Body Protection					
Personal protective equipment for the be a specialist before handling this product		cted based on the task be	ng performed and the risks in	volved and should be appro	oved by
Recommended : Wear protective clothin					

Appearance / colour	Liquid /White
Odour	Not Applicable
Solid	56.0%
Specific Gravity (@ 25°C)	1.34
Viscosity (Ku)	90.0 -100.0
*Boiling Point	Not applicable
*Melting Point	Not applicable
*Vapour Pressure (@ 20°C)	Not applicable
Vapour Density (101.3 kPA / air=1)	Not applicable
Evaporation Rate (n - Butyl Ether=1)	Not applicable
Solubility	Soluble in water

#### SECTION 10 STABILITY AND REACTIVITY

#### REACTIVITY

No dangerous reaction known under condition of normal use.

#### CHEMICAL STABILITY

Stable under normal temperature conditions and recommended use.

#### POSSIBILTY OF HAZARDOUS REACTION

Under normal conditions of storage and use, hazardous reaction will not occur.

#### CONDITIONS TO AVOID

Heat, flame , sparks. Nitric acid, sulfuric acid, strong oxidizing agents. Electrostatic accumulation hazard? If Yes, use proper grounding procedure.

#### HAZARDOUS DECOMPOSITION PRODUCTS

Under normal conditions of storage and use, hazardous decompositions products should not be produced.

#### SECTION 11 TOXICOLOGY INFORMATION

There is no data available on the product itself. Toxicological information of hazardous ingredients	s :
Acute toxicity	: Not Classified
Skin corrosion/ irritation	: No Data
Serious eye /damage irritation	: Not Classified
Respiratory sensitization	: Not Classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not Classified
Reproductive toxicity	: Not Classified
Specific target organ toxicity (single exposure)	: Not Classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Not classified
Symptoms/injuries after skin contact	: No data
Symptoms/injuries after eye contact	: Not Classified
Symptoms/injuries after eye ingestion	: Not data
Chronic symptoms	: Not Classified

#### SECTION 12 ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available.

#### Persistence And Degradability No information available.

# **Bioaccumulative Potential**

Accumulation in aquatic organisms is unlikely.

Mobility In Soil Potential for mobility in soil.

#### Other Adverse Effects

Do not allow product to reach ground water, water course or sewage system.

Ingredient

Fish 96 hour, LC50

Crustacea 48 hour, EC50

Algae 72 or 96 hour, ErC50

### SECTION 13 DISPOSAL INFORMATION

#### Waste Disposal :

Recover or recycle if possible. Otherwise dispose in accordance with all applicable with all applicable national environment laws and regulations.

# Product Disposal:

This product when dispose of in its unused and uncontaminated state should be treated as a hazardous waste.

#### Container Disposal :

Drain container thoroughly. Rinse three times with suitable solvent. Treat rinsing as for product disposal. After draining, vent in a safe place away from sparks and fire. Send drum recoverer or metal reclaimer. Residue may cause an explosion hazard. Do not pincture, cut or weld uncleaned drums. Keep container labelled until cleaned and then remove or deface labels.

#### SECTION 14 TRANSPORT INFORMATION

Transport to be in accordance with ADR/RID for road/rail, IMDG for sea and IATA for air.

#### LAND TRANSPORT

Classified as None Dangerous Goods by the criteria of the European Agreement concerning the international carriage of Dangerous Goods (ADR) by Road & Regulations concerning the international carriage of Dangerous Goods (RID) by Rail.

UN Number : N/R Class : N/R Packaging Group : N/R

#### SEA TRANSPORT

Classified as None Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG) for the transport of Sea.

UN Number : N/R Class : N/R Packaging Group : N/R Marine Pollutant : No

SEA (Annex II of MARPOL 73/78 and the IBC Code) : Not Applicable

#### AIR TRANSPORT

Classified as None Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for the transport by Air.

UN Number : N/R Class : N/R Packaging Group: N/R

#### SECTION 15 REGULATORY INFORMATION

Applicable national regulations :

a) OHSA 1994 and relevant regulation

b) Factories and Machinery Act 1967 and relevant regulations

c) Environment Quality Act 1967 and regulations.

d) Pesticide Act 1974 and regulations

e) Occupational Safety and Health (Classification, Labelling And Safety Data Sheet of Hazardous Chemicals) Reg 2013

f) Industry Code Of Practice (On Chemicals Classification And Hazard Communication

#### SECTION 16 OTHER INFORMATION

Date of preparation : 16-03-2013 Date of revision : 20-01-2021 : 03 Version

ABBREVIATION

ACGIH American Conference of Governmental Industrial Hygienists

TIV Threshold limit value

Time-Weighted Average TWA

- OSHA Occupational Safety and Health Administration
- Permissible Exposure Limit PEL

LD50 Lethal Dose

LC50 Median Lethal concentration

International Agency for Research in Cancer IACR

- CAS Registry Numbers Chemical Abstracts Service Registry Numbers
- Industry Code Of Practice on Chemical Classification and Health approved by Minister under section 37 of the Act ICOP
- Ceiling Limit

CEIL Ceiling Limit airborne concentration

STEL Short Term Exposure Limit

- DNA Data Not Available
- N/R Not Regulated

Disclaimer

All information appearing here in is based on our present state of our knowledge. However the information in this SDS may not be valid for such material used in combination with any other materials or in any process. No representation, warranty or guarantee is made as to its accuracy, reliability or completeness. We do not accept liability for any loss or damage that may occur from the use of this information.