



Smart Bellarte
Veloura

• Velvet Effect •



Scan Here



• LUXURY EFFECT FINISH •

where walls become art

~ *Luxury Effect Finish* where walls become art ~

Scan Here



Moisture and
mold proof




Easy to maintain



Green and
environmental
friendly

Tools

GOLD LINER
PAINTING TOOLS



7" Easy
Roller



Multi-Edge
Trowel (Plastic)



Round Stainless
Steel Sander

OR




Multi-Function
Sander Set



V54-1 Gray Foam



V56-1 Powderey



White (Tintable)



V28-2 Roman Column



V29-1 Cream Tint



V33-1 Desert View



V51-2 Stilleto Gray



V54-5 Pewter



V55-2 Windmill White



V41-1 Pink Romance



V31-1 Artist Canvas



V3-3 Swan Wing



V99-2 Petite Peach



V12-3 Cool Hint



V12-1 Mint Scent



V93-1 Rose Blush



V61-2 Delicate Spikes



V115-2 Glazed Green



V129-1 Blue Saucer



V78-1 Heaven's Gate



V80-2 Blue Odyssey

KIND REMINDER:

Due to the use of natural mineral aggregates and lime-based materials, minor color difference, dark specks, texture variations, and trowel marks are normal characteristics and do not affect product performance.

Smart[®]
Paints



V55-3 Gray Stone



V40-3 Winter Twig



V51-3 Sentinel Gray



V27-3 Sapling



V55-4 Rocky Nook




V37-3 Clay Vessel



V24-3 Gazebo



V52-3 Liberty Gray



V102-5 Yellow Destiny



V116-3 Jasper Green



V130-3 Gray Grape



V97-4 Koralle



V71-4 Paradise Waters



V74-3 Engaging



V93-4 Perky Plume


Certified Approval



Product Features



Standard Application Procedure



Recommended Coating System

Sealer:

Smart Bellarte Fondo

Luxury Wall Finish:

Smart Bellarte Collection

Topcoat / Finish Coat:

Smart Bellarte Protezza Matt / Gloss Finish

Product Description

SMART BELLARTE VELOURA is a premium velvet-effect decorative wall finish that creates elegant, artistic interiors. Its rich textures and refined colour effects add depth and character to any space, delivering a distinctive and personalized decorative finish.

Theoretical Coverage

Veloura is designed to be applied in 2 coats.

Approximate Coverage: 4-5 m²/kg (2 coats).

Actual coverage may vary depending on substrate condition, surface profile, application method, and site conditions.

Application Condition

Apply only under the following conditions:

- Ambient temperature : Minimum 5°C
- Relative humidity : Maximum 85%
- Substrate moisture content : Maximum 10%

Ensure the substrate is flat, clean, sound, dry, and free from dust, grease, loose particles, and other contaminants before application.

Application Data

Touch Dry	: 1-2 hours
Hard Dry	: 12-24 hours
Recoating Interval	: 4-7 hours
Full Cure	: 5-7 days

Dependent on temperature and humidity.

Application Method

Apply using a Easy Roller, Multi-Edge Trowel & Round Stainless Steel Sander.

Precautions

- Stir thoroughly before use. Minor sedimentation is normal.
- Read the application instructions carefully before use.
- Ensure the work area is clean and well prepared before application.
- Avoid contact with eyes. In case of contact, rinse immediately with clean water.
- Store in a cool, dry place at room temperature. Avoid freezing.
- Apply using the recommended primer and protective topcoat system to achieve the intended decorative effect.



Smart Bellarte
Veloura



SMART PAINT MANUFACTURING SDN BHD Reg. No. 201301001177 (1031014-A)

No.9, 11 & 15, Jalan Indah Gemilang 5, Taman Perindustrian Gemilang,
81800 Ulu Tiram, Johor, Malaysia.

Tel : +607-863 9855

Fax : +607-861 5055

Email: info@smart-paints.com

Website: www.smart-paints.com